

AMPA Glur2 (AMPA GLUR2)

Source:

Cerba Lancet Africa

View our website:

cerbalancetafrica.com

Date & Time of Export:

27 June 2026 10:39



[Click here to view the results online](#)

TEST OVERVIEW

Test Name	AMPA Glur2
Test Code	AMPA GLUR2
Short Description	AMPA Glur2

OVERVIEW

Test Name	AMPA Glur2
Test Code	AMPA GLUR2
Category	Referred tests
TAT	Main Lab: 72 Hour(s) Family Site: 3 Days
Specimen(s)	1 x Venous blood - 5 mL Tube - Gold - SST-Serum Separator Tube

SPECIMEN(S)

SST-Serum Separator Tube

Specimen Type	SST-Serum Separator Tube
Specimen Format	Tube
Specimen Colour	Gold
Specimen Volume	5 mL
Sampling Order	2
Origin	Venous blood
Collection time after baseline	-
Transport Temperature	-
Accepted Other Specimens	Serum -

TAT

Main Lab: 72 Hour(s)
Family Site: 3 Days

Test Stability

Room Temp: -
2-8°C: -

PATIENT INFORMATION

Clinical Information Required

-

Patient Collection Notes

-

COMMENTS & NOTES

LOINC Code

980-4 , 82980-4

Outwork

Yes