

RAST Mould Cladosporium herbarum m2 (RAST M2)

Source:

Cerba Lancet Africa

View our website:

cerbalancetafrica.com

Date & Time of Export:

15 April 2026 16:36



[Click here to view the results online](#)

TEST OVERVIEW

Test Name	RAST Mould Cladosporium herbarum m2
Test Code	RAST M2
Short Description	RAST M2

OVERVIEW

Test Name	RAST Mould Cladosporium herbarum m2
Test Code	RAST M2
Category	Referred tests
TAT	Main Lab: 72 Hour(s) Family Site: -
Specimen(s)	1 x Venous blood - 5 mL Tube - Gold - SST-Serum Separator Tube

SPECIMEN(S)

SST-Serum Separator Tube

Specimen Type	SST-Serum Separator Tube
Specimen Format	Tube
Specimen Colour	Gold
Specimen Volume	5 mL
Sampling Order	2
Origin	Venous blood
Collection time after baseline	-
Transport Temperature	-
Accepted Other Specimens	Serum
TAT	Main Lab: 72 Hour(s)

Test Stability

Family Site: -

Room Temp: -
2-8°C: -

PATIENT INFORMATION

Clinical Information Required -

Patient Collection Notes -

COMMENTS & NOTES

LOINC Code 485-5, 24485-5

Outwork Yes