

## Mycoplasma pneumoniae (IgG + IgM) (MYCOP\_PNEUM\_ABS)

Source: Cerba Lancet Africa  
View our website: [cerbalancetafrica.com](http://cerbalancetafrica.com)  
Date & Time of Export: 24 June 2026 01:42



[Click here to view the results online](#)

### TEST OVERVIEW

<b>Test Name</b>	Mycoplasma pneumoniae (IgG + IgM)
<b>Test Code</b>	MYCOP_PNEUM_ABS
<b>Short Description</b>	Mycoplasma pneumoniae (IgG + IgM)

### OVERVIEW

<b>Test Name</b>	Mycoplasma pneumoniae (IgG + IgM)
<b>Test Code</b>	MYCOP_PNEUM_ABS
<b>Category</b>	Serology
<b>TAT</b>	Main Lab: 1 Day(s) Family Site: 1 Day
<b>Specimen(s)</b>	1 x Venous blood - 5 mL Tube - Gold - SST-Serum Separator Tube

### SPECIMEN(S)

#### SST-Serum Separator Tube

<b>Specimen Type</b>	SST-Serum Separator Tube
<b>Specimen Format</b>	Tube
<b>Specimen Colour</b>	Gold
<b>Specimen Volume</b>	5 mL
<b>Sampling Order</b>	2
<b>Origin</b>	Venous blood
<b>Collection time after baseline</b>	-
<b>Transport Temperature</b>	15-25°C
<b>Accepted Other Specimens</b>	Serum
<b>TAT</b>	Main Lab: 1 Day(s)

**Test Stability**

Family Site: 1 Day  
Room Temp: 4 Day(s)  
2-8°C: 7 Day(s)

**CLINICAL INFORMATION****Mycoplasma pneumoniae (IgG + IgM)**

<b>Methodology</b>	-
<b>Specimen Type</b>	SST-Serum Separator Tube
<b>Delay before pre-treatment</b>	8
<b>Transport Temperature</b>	15-25°C
<b>Transport Stability at room temp</b>	4 Day
<b>Transport Stability at 2-8°C</b>	7 Day
<b>Haemolysis interference</b>	<input type="button" value="No"/>

**PATIENT INFORMATION**

<b>Clinical Information Required</b>	-
<b>Patient Collection Notes</b>	-

**COMMENTS & NOTES**

<b>LOINC Code</b>	428-7, 22428-7
<b>Outwork</b>	<input type="button" value="Yes"/>